

# W360 Interior Landscape / Aquascape Light

## 80W LED / 35°



- Plant / Coral Focused Light Spectrum
- High-Intensity Point Source LED
- Low-Profile
- DMX Controllable
- Also Available with Other Optics

### ORDERING GUIDE

**KSW360N** -  -  -  -  -

#### Spectrum

**AMZ** Amazon Sun (4000 - 6500K)  
**TB** Tuna Blue (10000 - 20000K)

#### Finish

**WH** White  
**BK** Black

#### Mount

**TOX** w/ O-type DMX Track Adapter  
**TON** w/ O-type Non-DMX Track Adapter  
**CLP** w/ Clamp Mount  
**MPT** w/ Monopoint Adapter Mount (PSX+120V only)  
**TG** w/ G-type Track Adapter  
**TEX** w/ E-type DMX Track Adapter

Legacy product

#### Power Supply & Control

**PS** Power Supply



**PSX** Power Supply w/ DMX  
 (compatible with TOX/MPT mount)



#### Plug/Connection


**US** US 120V  
**EU** EU 220V

### SPECIFICATIONS


Beam Angle	35°
Spectrum Type	AMZ : Plant Flourish & Growth
	TB : Coral Health & Growth
Control	Intensity (0% - 100%), CCT
LED Source	DiCon Dense Matrix LED
Power Draw	80W max
AC Input Voltage	100 - 240V AC, 60Hz
Cooling	Fan Cooled
Operating Temperature	32 - 104°F (0 - 40°C)
Fixture Weight	1.1lb (~0.5kg)
Power Supply Weight	1.0lb (~0.4kg)

## MECHANICAL FIGURES


### W360N-TOX/TON





### PS




### PSX



### W360N-CLP






### Mounting Bracket Dimensions ALL-CLP



\*All -CLP configuration models come with standard DC cables of 6 inches and AC cables of 10 ft.



### W360N-TEX

Legacy product




### W360N-TG

Legacy product




## MECHANICAL FIGURES

W360N-MPT



PSX

US




## PHOTOMETRIC DATA

AMZ

Distance		3' (~0.9 m)	5' (~1.5 m)	10' (~3.0 m)
@4000K	fc	440	134	63
	lux	4728	1438	672
@6500K	fc	445	136	64
	lux	4786	1456	680
Beam Diameter		Ø 3.8' (1.2m)	Ø 6.1' (1.9m)	Ø 9.1' (2.8m)


Beam Angle : 35°



TB

Distance		3' (~0.9 m)	5' (~1.5 m)	10' (~3.0 m)
@10000K	fc	156	69	33
	lux	1675	738	353
@20000K	fc	89	39	19
	lux	953	418	199
Beam Diameter		Ø 3.8' (1.2m)	Ø 6.1' (1.9m)	Ø 9.1' (2.8m)

Beam Angle : 35°



## DMX FOOTPRINT

Amazon Sun		
Channel	1	Intensity
	2	CCT (4000-6500k)

Tuna Blue		
Channel	1	Intensity
	2	CCT (10000-20000k)
	3	Violet
	4	Red
	5	Green